



# SAFETY KID II

An additional anti-submarine device

The device is intended to prevent the fall of the passengers and the risk of «sub-marining» during the trip. The device is placed between the passengers legs during the downward of the railing. Number of devices needed per chairlift will be based on the choice of the operator.




## Device benefits

- . Economical and efficient
- . Childish assembly and ultra fast without drilling the railing
- . Rounded shape on the bottom to minimize shocks and punching
- . Section optimized for inertia in the direction of passengers fall
- . Flexibility in the transverse direction
- . Lightweight. Calculated weight 300 gr.
- . Unbreakable barrier, interchangeable flexible plastic
- . Can be mounted in curved portion of guardrail
- . Can be used as Handle
- . Fixing point provided for gripping strap (optional)

**SMALL WIDTH**

Allow the transportation of persons with reduced mobility



**INTERCHANGEABLE CLAWS**

interchangeable clamping  
22-40mm restraining bar

**2 FURNACES VARIETIES**

2 furnaces varieties to optimize weight and dimensions.  
Assortment for 22-30 and 22-40 restraining bars.

**5 LENGTHS**

5 different plastic barrier lengths by 25mm segments.

**LONGITUDINAL STIFFNESS**

Longitudinal stiffness opposed to passengers fall

**ROUNDED SHAPE**

Rounded shape to cushion and reduce shocks and punching

**SOUPLESSE TRANSVERSALE**

« SAFETY » branding for passengers information

attachement point for strap

Flexible and unbreakable plastic barrier, different colors available

